

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 05-047668

(43)Date of publication of application : 26.02.1993

(51)Int.Cl.

H01L 21/205

(21)Application number : 03-208290

(71)Applicant : FUJITSU LTD

(22)Date of filing : 20.08.1991


(72)Inventor : OTSUKA NOBUYUKI

(54) CRYSTAL GROWTH METHOD FOR COMPOUND SEMICONDUCTOR

(57)Abstract:

PURPOSE: To grow an upper layer compound semiconductor crystal of high quality when different type compound semiconductors are grown at the same temperature and to form an abrupt hetero boundary by simultaneously supplying carrier gas and gas having heavier specific weight than that of the carrier gas when a material of an element for constituting a compound semiconductor crystal is supplied.

CONSTITUTION: When an InAs crystal is grown on a substrate 3, (CH₃)₃In and AsH₃ are used as materials. The (CH₃)₃In and AsH₃ are switched by a valve (b), alternately supplied to a reaction tube 1, and grown. H₂ is used as the carrier gas, and Ar is simultaneously supplied at the time of supplying the (CH₃)₃In. Thus, since a surface temperature of the substrate 3 can be effectively lowered, the (CH₃)₃In can be supplied to the surface of the substrate in an undecomposed state as it is, and the methyl indium reaching the substrate 3 is eliminated as it is or rapidly decomposed to become In so as to contribute to the growth. Accordingly, an InAs atomic layer epitaxial growth can be conducted at 400° C or higher.



LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]